

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(bridge same bus same reset same (node with remain\$4 with connect\$4)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:47
L2	1	(bridge same bus same reset same (node with remain\$4 with connect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:49
L7	4	fukunaga.in. and (reset\$4 same transmi\$6 same receiv\$6 same (unchang\$5 or connect\$6 or configur\$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:16
L8	11	fukunaga.in. and (reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:10
L9	545	(reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:47
L10	20	(reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node).ab. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:11
L11	0	(reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node same "1394" same rece\$7 same (transmi\$6 or send\$5)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:18
L12	0	(reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node same rece\$7 same (transmi\$6 or send\$5)) and @ad<"19991228" and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:19
L13	5	(reset\$4 same (stay\$5 or remain\$5) same node same rece\$7 same (transmi\$6 or send\$5)) and @ad<"19991228" and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:20

L14	1	(bridge same (detect\$5 with bus with reset) same (node near2 (rece\$7 or transmi\$6 or send\$5)) same (node with (remain\$5 or maintain\$5 or stay\$4) with connect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:25
L15	0	(bridge same (detect\$5 with bus with reset) same (node near2 (rece\$7 or transmi\$6 or send\$5)) same (node with (remain\$5 or maintain\$5 or stay\$4) with connect\$5)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:25
L16	7	(reset\$4 same (stay\$5 or remain\$5) same (unchang\$5 or connect\$6 or configur\$5) same node) and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:48
L17	7	(reset\$4 same (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secu\$4) same (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) same node same (connect\$4 or path)) and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:50
L18	2	(bus same reset\$4 same (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secu\$4) same (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) same node same (connect\$4 or path)) and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:50
L19	93	(bus same reset\$4 same (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secu\$4) same (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) same node same (connect\$4 or path)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:51

L20	4	((bus near reset\$4) and (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secur\$4) and (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) and node and (connect\$4 or path)).clm. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52
L21	378	((bus near reset\$4) and (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secur\$4) and (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) and node and (connect\$4 or path)).detd. and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52
L22	16	((bus near reset\$4) and (stay\$5 or remain\$5 or maintain\$4 or keep\$5 or resecur\$5 or re-secur\$4) and (unchang\$5 or connect\$6 or configur\$5 or reestablish\$5 or re-establish\$4) and node and (connect\$4 or path)).detd. and @ad<"19991228" and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:52